

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.	: 6,988,404	Issue Date: January 24, 2006
Applicant	: Motzer et al.	Art Unit: 2856
Serial No.	: 10/733,825	Examiner:
Filed	: December 11, 2003	
For	: APPARATUS FOR USE IN MEASURING FLUID LEVELS	

Certificate of Correction Branch
Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Via EFS-WEB

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKE (37 C.F.R. 1.322(a)) AND
FOR APPLICANT'S MISTAKE (37 C.F.R. 1.323)**

Attached, in duplicate, is Form PTO-1050 (Substitute Form PTO76-22),
with at least one copy being suitable for printing.

The exact page and line number where the errors are shown correctly in
the application file are:

In the amendment filed April 20, 2005, Claim 29 was added (Claim 3 in
Patent), line 21, reads "plurality of".

It is noted that an error appears in this patent of typographical nature or
character, as more fully described below. It occurred in good faith. Correction thereof
does not involve such changes in the patent as would constitute new matter or would
require re-examination. A certificate of correction is requested.

Certificate of Electronic Transmission

I hereby certify that this correspondence and any enclosures are
being electronically transmitted via EFS-WEB on the date indicated
below.

/John Paul Davis/
John Paul Davis
Reg. No. 52,798

June 14, 2006
Date

The exact page and line number where the error(s) occur in the application file is (are):

Page 4, line 1, should read "line 3-3".

Page 7, line 13, should read "installation".

Page 7 line 14, should read "are generally".

In the amendment filed April 20, 2005, Claim 28 was added (Claim 2 in Patent), line 10, should read "comprised".

Please send the certificate to:
Thomas W. Humphrey, Esq.,
Wood, Herron & Evans, L.L.P.
2700 Carew Tower
Cincinnati, OH 45202

Also enclosed is the fee, in the amount of \$100.00, as required by 37 C.F.R. 1.20(a).

If any other charges or credits are necessary to complete this communication, please apply them to Deposit Account 23-3000.

Respectfully submitted,

/John Paul Davis/

John Paul Davis
Reg. No. 52,798

Wood, Herron & Evans, L.L.P.
2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202-2917
Voice: (513) 241-2324/Facsimile: (513) 241-6234

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 6,988,404

APPLICATION NO. : 10/733,825

ISSUE DATE : January 24, 2006

INVENTOR(S) : Juergen Motzer, Juergen Dietmeier, Neil T. Wilkie, Michael L. Topputo

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2

Line 20, delete "lines 3-3", insert --line 3-3--.

Column 3

Line 60, delete "insulation", insert --installation--.

Line 61, delete "3, generally", insert --3, are generally--.

Column 5

Claim 2, line 14, delete "comprises", insert --comprised--.

Column 6

Claim 3, line 17, delete "plurality at", insert --plurality of--.

MAILING ADDRESS OF SENDER (Please do not use number below):

John Paul Davis, WOOD, HERRON & EVANS, L.L.P.
2700 Carew Tower, 441 Vine Street, Cincinnati, OH 45039

This collection of information is required by 37 CFR 1.322, 1.323 and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORM TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.